

30W Constant Current LED driver, 220-240VAC to 700mA, TRIAC Dimmable*Partcode: ILDRCCA023 / Page: 1*

Integral LED Constant Current Drivers are designed and built using highly reliable components to deliver the best performance for commercial and residential lighting applications.

Product Details

Partcode: ILDRCCA023

Check Code: 533152

Range Name: various

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor

Product Type: Constant Current

Warranty: 3 Years

CE / RoHS: Yes

Physical Data

Material: Polycarbonate

Partcode: ILDRCCA023 / Page: 2

Physical Data

Length: 140mm

Width: 45mm

Depth: 25mm

Weight (Unpackaged Single Unit): 140g

Electrical Data

Voltage Range: 220-240V

Power Consumption: 30.0 Watts

Input Current: <0.24A

Input Voltage: 220-240VAC

Output Current: 700mA

Frequency Range: 50/60 Hz

Power Factor: ≥ 0.90

Dimming: TRIAC

Protection Function: Short Circuit protection, Overload protection, Thermal protection

LVD Certified: Yes

EN: EN61347-1, EN61347-2-13, EN55015, EN61547, EN61000-3-2, EN61000-3-3

Light Data

Partcode: ILDRCCA023 / Page: 3

Environmental

Lowest Operating Temperature: -10 degrees

Maximum Operating Temperature: 50 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging

EAN Barcode (unit of 1): 5055788233510

Packaged Weight (Unit of 1): 150g

Length (unit of 1): 165mm

Width (unit of 1): 75mm

Depth (unit of 1): 45mm

Outer packaging info available on website

Product data last updated on: Wednesday, September 27, 2017 - 13:01