

**Mini Globe Omni-Lamp 3.5W (31W) 2700K 350lm E14 Dimmable 300 deg
Beam Angle**

Partcode: ILGOLFE14D036 / Page: 1



Integral Filament Omni Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in chandeliers and fittings where the lamp is exposed. These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

Product Details

Partcode: ILGOLFE14D036

Check Code: 737367

Range Name: Omni

Market Segment: Commercial indoor, Residential indoor

Product Type: Mini Globe

Warranty: 2 Years

CE / RoHS: Yes

Physical Data

Lamp Base: E14

Base Type: Small Edison screw

Globe Type: Mini Globe

Globe Finish: Clear

Material: Aluminium, Glass

Construction: glass shell, filament strip, Aluminium Base

Physical Data

Length: 84mm

Width: 45mm

Diameter: 45mm

Weight (Unpackaged Single Unit): 18g

Lamp or Luminaire Shape: Round

Lamp Fixing: Pendant, Wall

Electrical Data

Voltage Range: 220-240V

Power Consumption: 3.5 Watts

Driver included: Yes

Electric Current: AC

Ampage: 16.00mA

Frequency Range: 50 Hz

Power Factor: ≥ 0.90

Wattage Equivalent: 31 Watts

Dimming: Dimmable with compatible dimmers

LVD Certified: Yes

EN: EN-62560

Light Data

Lumens: 350lm

Lumens per Watt: 100.0lm/W

Beam Angle: 300°

Correlated Colour Temperature (CCT): 2,700k

Colour Temperature: Warm

Colour Rendering Index (CRI): ≥ 80


LED Type: Filament chip

Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs

Switching Cycles: $>7,500$ X

Environmental



Energy Rating: A++

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging

EAN Barcode (unit of 1): 5055788227809

Packaged Weight (Unit of 1): 66g

Length (unit of 1): 48mm

Width (unit of 1): 48mm

Depth (unit of 1): 95mm

Outer packaging info available on website

Product data last updated on: Tuesday, May 15, 2018 - 16:18