

**LED IP20 Batten 9W 4000K 900lm Non-Linkable***Partcode: ILBTC036 / Page: 1*

Integral Value+ IP20 LED battens are perfect for work benches, shelving areas and stock rooms. At 100Lm/W these LED battens are an ideal replacement for traditional fluorescent tube lights, providing energy savings over their lifetime.

**Product Details**

Partcode: ILBTC036

Check Code: 178231

Range Name: Value+

Placement / Application: Indoor, General Lighting

Product Type: Battens

Warranty: 3 Years

CE / RoHS: Yes

**Physical Data**

Base Colour: Matt white

Optic: Polycarbonate diffuser

Material: Polycarbonate

Construction: Injection moulding

**Physical Data**

Length: 600mm  
Width: 27mm  
Depth: 35mm  
Weight (Unpackaged Single Unit): 121g  
Lamp or Luminaire Shape: Linear  
Luminaire Fixing: Wall/Ceiling mounted


**Electrical Data**

Voltage Range: 90-265V  
Power Consumption: 9.0 Watts  
Driver included: Yes  
Electric Current: AC  
Frequency Range: 50Hz Hz  
Power Factor:  $\geq 0.90$   
Wattage Equivalent: 14 Watts  
Dimming: Non-dimmable  
LVD Certified: Yes  
EN: EN-60598

**Light Data**

Useful Lumens: 900lm (Rated luminous flux in a 90° cone)  
Lumens: 900lm  
Lumens per Watt: 100.0lm/W  
Beam Angle: 130°  
Correlated Colour Temperature (CCT): 4,000k  
Colour Temperature: Cool White  
Colour Rendering Index (CRI):  $\geq 80$   
LED Type: Surface mounted device (SMD)  
LED Size: 2835  
Instant on - Less than 1 second: Yes  
Lifetime: 30,000 hrs  
Switching Cycles:  $>20,000$  X

### Environmental



Lowest Operating Temperature: -10 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

### Packaging

EAN Barcode (unit of 1): 5055788229469

Packaged Weight (Unit of 1): 203g

Length (unit of 1): 635mm

Width (unit of 1): 30mm

Depth (unit of 1): 45mm

**Outer packaging info available on website**

*Product data last updated on: Tuesday, May 15, 2018 - 16:18*